TEEE TRANSACTIONS ON MICROWAVE THEORY AND TECHNIQUES, VOL. MTT-25, NO. 7, JULY 1977

REFERENCES

- A. H. Frey, "Auditory system response to radio frequency energy," *Aerospace Medicine*, vol. 32, pp. 1140–1142, 1961.
 A. W. Guy, E. M. Taylor, B. Ashleman, and J. C. Lin, "Microwave interaction with the auditory systems of humans and cats," *IEEE/MTT Symposium Digest*, pp. 321–323, 1973.
 E. M. Taylor and B. T. Ashleman, "Analysis of the central nervous in the microwave and the microwave of the systems of the central nervous."
- involvement in the microwave auditory effect," Brain Research, 74, pp. 201-208, 1974. vol.
- [4] A. W. Guy, C. K. Chou, J. C. Lin, and D. Christensen, "Microwave induced acoustic effects in mammalian auditory systems and physical materials," Annals N.Y. Acad. Sciences, vol. 247, pp. 194-215, 1975.
- [5] W. J. Rissman and C. A. Cain, "Microwave hearing in mammals," *Proc. Nat. Elect. Conf.*, vol. 30, pp. 239–244, 1975.
 [6] C. K. Chou, R. Galambos, A. W. Guy, and R. H. Lovely, "Control of the processing conserved by microwave pulses" I.
- "Cochlea microphonics generated by microwave pulses," J. Microwave Power, vol. 10, pp. 361–367, 1975. A. H. Frey, "Human auditory system response to modulated electromagnetic energy," J. Appl. Physiol., vol. 17, pp. 689–692,
- [7] 1962

- [8] A. H. Frey and R. Messenger, Jr., "Human perception of illumination with pulsed ultra-high frequency electromagnetic energy," *Science*, vol. 181, pp. 356-358, 1973.
 [9] ANSI Standard, "Safety level of electromagnetic radiation with respect to personnel," *ANSI C95.1*, 1974.
 [10] H. C. Sommer and H. E. von Gierke, "Hearing sensations in electric field," *Aerospace Med.*, vol. 35, pp. 834-839, 1964.
 [11] J. C. Sharp, H. M. Grove, and O. P. Gandhi, "Generation of acoustic signals by pulsed microwave energy," *IEEE Trans. Microwave Theory Tech.*, vol. 22, pp. 583-584, 1974.
 [12] K. R. Foster and E. D. Finch, "Microwave hearing: evidence for thermoacoustical auditory stimulation by pulsed microwaves," *Science*, vol. 185, pp. 256-258, 1974.
 [13] J. C. Lin, "Microwave auditory effect—A comparison of some possible transduction mechanisms," *J. Microwave Power*, vol. 11, pp. 77-81, 1976. pp. 77-81, 1976.

- [14] T. E. Cooper and G. J. Trezek, "A probe technique for determin-ing the thermal conductivity of tissue," J. Heat Transfer vol. 94, pp. 133-138, 1972.
- pp. 133–138, 1972.
 [15] G. T. Fallenstein, V. D. Hulce, and J. W. Melvin, "Dynamic mechanical properties of human brain tissue," J. Biomechanics, vol. 2, pp. 217–226, 1969.
 [16] Y. C. Lee and S. H. Advani, "Transient response of a sphere to torsional loading—A head injury model," Mathematical Bioscience, vol. 6, pp. 473–486, 1970.
 [17] J. A. Stratton, Electromagnetic Theory. New York: McGraw-Hill 1941
- Hill, 1941. [18] J. C. Lin, A. W. Guy, and C. C. Johnson, "Power deposition in a
- spherical model of man exposed to 1–20 MHz electromagnetic fields," *IEEE Trans. Microwave Theory Tech.*, vol. 21, pp. 791–797,
- [19] C. C. Johnson and A. W. Guy, "Nonionizing electromagnetic wave effects in biological materials and systems," Proc. IEEE,
- [20] J. C. Lin, A. W. Guy, and G. H. Kraft, "Microwave selective brain heating," *J. Microwave Power*, vol. 8, pp. 275–286, 1973.
 [21] H. S. Carslaw and J. C. Jaeger, *Conduction of heat in solids*, 2nd Edition. J. and an Oxford Univ. Press, 1950.
- London: Oxford Univ. Press, 1959. Edition.
- [22] A. E. H. Love, A treaty on the mathematical theory of elasticity. Cambridge, England, 1927.
- [23] R. V. Churchill, Operational mathematics, 2nd edition. New York: McGraw-Hill, 1958.
- [24] E. Jahnke and F. Emde, Tables of functions, 4th edition. New York: Dover, 1945.
- York: Dover, 1945.
 [25] R. M. White, "Generation of elastic waves by transient surface heating," J. Appl. Phys., vol. 34, pp. 3559–3569, 1963.
 [26] L. S. Gournay, "Conversion of electromagnetic to acoustic energy by surface heating," J. Acoust. Soc. Am., vol. 40, pp. 1322–1330, 1966.
 [27] J. Zwislocki, "In search of the bone-conduction threshold in a free sound field," J. Acous. Soc. Amer., vol. 29, pp. 795–804, 1057
- 1957.
- [28] J. F. Corso, "Bone-conduction thresholds for sonic and ultrasonic frequencies," J. Acous. Soc. Amer., vol. 35, pp. 1738–1743, 1963.

Rank Reduction of Ill-Conditioned Matrices in Waveguide Junction Problems

DOUGLAS N. ZUCKERMAN, MEMBER, IEEE, AND PAUL DIAMENT, MEMBER, IEEE

Abstract-A new low-rank spectral expansion technique for solving the ordinarily intractable matrix equations obtained from waveguide field equivalence theorem decompositions is described. The method facilitates the analysis of waveguide discontinuity problems that resist ordinary methods of solution. The technique is illustrated for the problem of scattering at a slant interface in a rectangular waveguide.

I. INTRODUCTION

"HE integral equations, and the corresponding matrix equations, that represent scattering at a waveguide discontinuity often exhibit ill-conditioned behavior. This results in computational difficulties as inversion of such matrices is inaccurate for even large-order truncated versions of the matrix. It is shown here, however, that it may be

Manuscript received June 14, 1976; revised February 4, 1977

D. N. Zuckerman is with Bell Laboratories, Holmdel, NJ 07733. P. Diament is with the Department of Electrical Engineering and Computer Science, Columbia University, New York, NY 10027.

possible to take advantage of the often relatively low effective rank of the ill-conditioned portion of the matrix to overcome such difficulties.

In the following, a typical problem, that of scattering at a waveguide discontinuity, is solved by developing equations that are exact but ill conditioned. First, field equivalence theorems are used to reduce the structure to two uniformly filled waveguides with equivalent electric and magnetic current sheets at the discontinuity surface. Integral equations for the current sheets are then derived, using the null field condition in the two simpler waveguide structures. By writing series expansions for the current sheets, the integral equations are reduced to a system of linear algebraic equations for the current expansion coefficients. These exact equations are asymptotically ill conditioned. By a low rank spectral decomposition of the matrix representing the ill-conditioned portion of the equations, it is possible to solve for the currents without